



PARTICULARLY CHARACTERFUL:  
**LMC TANDERO**

LMC MODEL YEAR 2023 - PRICELIST TANDERO  
EN  
DATE: AUGUST 2022

QUALITY. TRUST. AT HOME. **LMC**

## STANDARD EQUIPMENT AND PACKAGES

### CHASSIS

- Premium-Chassis
- Stability support
- Diagonal swing axle
- Steel wheels
- Wheel shock absorbers
- Anti-sway coupling

### CABINE EXTERIOR

- Hinged window (kitchen)
- Roof and front / rear section in GRP
- Ausstellfenster Bug 1.300 x 520 mm (grundrissabhängig)
- Roof hub 280 x 280 mm (washroom)
- Automotive tail light
- Roof hub 400 x 400 mm
- Bottle holder with hydraulic shock absorbers
- Sidewall hammer finish sheet
- Third breaking light
- Service hatch 1.000 x 420 mm front right (layout-dependent)
- Service hatch 1.000 x 420 mm rear right (layout-dependent)

### CABINE INTERIOR

- Großzügige Ablageflächen im Bug und Heck
- Bunk bed load 80 kg (layout-dependent)
- Cold foam mattresses in single and double bed
- Hydraulic lift for fixed beds
- Cold foam mattress in bunk beds
- Roll-out-bed (layout-dependent)
- Storage cupboard
- Hängeschränke seitlich
- Winterised wall ventilation
- Towel hook
- Mirror
- Pad Tandero Dolerit
- Pad Tandero Runit

### KITCHEN

- Fridge 141 ltr. (layout-dependent)
- Three burner stove with integrated sink
- Drawer with cutlery application
- Drawers with self retraction and softclose
- Fridge 141 ltr. (layout-dependent)

### HEATING

- Heating warm air 3004 S (layout-dependent)

### WATER SUPPLY

- Freshwater tank 44 ltr.
- Electrical cassette toilet
- Washbasin
- Central waste water drainage

### GAS/ELECTRICITY SUPPLY

- LED home lighting
- 12 V lighting with 400 W transformer
- Switcher/Sockets (4 pieces)
- Feed-in socket CEE 230 V
- Beleuchtete Dachhaube über Sitzgruppe
- Smoke alarm
- Central electrical supply 230 V

### LONG LIFE TECHNOLOGY

- Under floor with XPS-foam an PU-struts
- High-performance insulation core
- Fibreglass-material under floor
- Roof and front / rear section in GRP
- 12-years-tightness-warranty

### TANDERO PACKAGE (TP)

- LED awning lighting
- Mosquito net door
- Therme for hot water supply
- Stability supports incl. big Feets
- Holding tank 25 ltr. with wheels
- Display for freshwater tank
- Reserveradhalterung im Flaschenkasten
- Flat-screen TV ready for 1st TV
- Comfort-entrance-door with window incl. rubbish bin
- Filzorganizer
- Dachhaube 750 x 500
- Beleuchtungshighlight - aufgehende Sonne & indirekte Beleuchtung
- 2x USB-Steckdose für Stromschiene
- Tow bar cover
- Reinforced roof incl. preparation for air conditioning
- Stützrad mit Stützlastanzeige

### Package weight\* +34.5 kg\*

### SHOWER PACKAGE (DUP)

- Shower fitting
- Shower curtain
- Wooden shower inlay
- Shower basin
- City connection with float (in bottle holder)

### Package weight\* +6 kg\*

## TECHNICAL DATA

### TECHNICAL DATA VEHICLE

Total length (cm)
Total width (cm)
Interior roof height max. (cm)
Total height (cm)
Weight in drivable condition (with standard equipment) (kg)* 1)
Payload standard/maximum load (kg)
Maximum permissible total weight (kg)*
Floor, wall, roof thickness (mm)
Awning size (cm)

### BED DIMENSIONS/SLEEPING BERTH

Berths
Front
Middle
Rear

430 D	480 D	500 E	500 K	510 E
636	696	757	727	758
232	232	232	232	232
198	198	198	198	198
257	257	257	257	257
1120	1195	1300	1250	1300
240	205	200	250	200
1360	1400	1500	1500	1500
40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30
918	980	1040	1010	1040
2 - 4 <input type="checkbox"/>	2 - 4 <input type="checkbox"/>	2 - 4 <input type="checkbox"/>	2 - 5 <input type="checkbox"/>	2 - 4 <input type="checkbox"/>
208 x 135	200 x 146	195 - 200 x 83	209 x 145	200 - 209 x 83
197 x 134	-	-	197 x 90	-
-	212 x 126	212 x 131 - 147	209 x 68 - 72	212 x 147

Standard
  Optional extra
  Not possible
  Not yet known at the time of publication

## OPTIONAL EQUIPMENT

	ORDER NO.	EXTRA WEIGHT
<b>CHASSIS</b>		
Manual entry level	372	5.5
Tow bar cover	434	4
Aluminum rims, single axle	1063/1	1

<b>AUFLASTUNGEN</b>		
Maximum chassis weight 1.500 kg / 1.500 kg Chassis	136/1	6
Maximum chassis weight 1.800 kg / 1.800 kg Chassis	279	6
Maximum chassis weight 1.700 kg / 1.800 kg Chassis	278/2	6
Maximum chassis weight 1.700 kg / 1.700 kg Chassis	278/1	6

<b>CABINE EXTERIOR</b>		
Winterisolation for pop-up roof <sup>2)</sup>	6401	2
Pop-up roof <sup>3)</sup>	6400	120
Air conditioning	6512	36.5
GFK für Seitenwände	12791	0
Sliding window (kitchen)	6406	3
Hinged window washroom (milky glass)	1028	2
Service hatch 1.000 x 420 mm front left (layout-dependent)	6415	4
Service hatch 750 x 300 mm rear right (layout-dependent)	6422	3
Service hatch 750 x 300 mm front left (layout-dependent)	6419	3
Frame window (incl. blind)	7561	5

<b>CABINE INTERIOR</b>		
Triple bunk beds <sup>4)</sup>	200	21
Premium-matress	10318	10

<b>HEATING</b>		
DuoControl with crash sensor	6448	7
Electrical floor heating 230 V	387	6
Eis EX with monitor (only in combination with DuoControl)	6358	1

<b>WATER SUPPLY</b>		
Freshwater tank, 76 ltr., instead of 44 ltr. with filler pipe	6356	36

<b>GAS/ELECTRICITY SUPPLY</b>		
Gas detector	10058	0.5
Exterior socket 230 V / 12 V / TV and gas	611/1	1

430 D	480 D	500 E	500 K	510 E
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<input type="checkbox"/>	<input type="checkbox"/>	-	-	-
-	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-	-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	-	-	-

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	-	-	<input type="checkbox"/>	-
-	<input type="checkbox"/>	-	-	-
<input type="checkbox"/>	-	-	<input type="checkbox"/>	-
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

-	-	-	<input type="checkbox"/>	-
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Standard
  Optional extra
  Not possible
  Not yet known at the time of publication



## IMPORTANT NOTES

All accessory prices are for factory installation. Additional costs must be expected for subsequent installations. Any change to the factory condition' of your vehicle can lead to an impairment of driving and road safety. Accessories recommended by us, original spare parts are specially developed for your vehicle. Accessories, add-ons, conversions or installation parts not approved by LMC can lead to damage to the vehicle and to impairment of the road safety. Even if an expert opinion, a parts approval or a type approval is available for these parts, there is no presumption for the proper condition of the product. Please understand that no liability can be assumed for damages caused by products not approved by LMC or by non-permitted modifications.

We reserve the right to make changes to prices, technical data, facilities and equipment as well as design changes. The information about scope of delivery, appearance and services correspond to the knowledge available at the time of printing. Decorations shown are not included in the scope of delivery. All details correspond to the current status at the time of printing. The stated mass in running order is a standard value specified in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\%$  of the mass in running order are legally permissible and possible. The technically permissible total mass of the vehicle and the technically permissible total mass on the axle must not be exceeded. This is a recommended retail price in EUR based on German retail prices. Prices in other countries may differ due to currency conversion, country-specific equipment, VAT, fees, transport costs and import duties. Your trading partner will be pleased to inform you about the prices, taxes and fees applicable to your country.

We reserve the right to make technical changes in design and equipment, deviations in color and errors. Color deviations are partly due to printing or lighting technology. Some illustrations include optional equipment that is subject to an extra charge. All prices are in Euro incl. VAT ex works LMC.

With the publication of this price list, the validity of all previously published price lists expires. Valid from 01.08.2022.

## FOOTNOTES

- 1) This weight includes the standard design dimensions according to manufacturer information: Liquid, such as fresh water, gas (aluminium bottles) at 100 % and cable drums, without optional extras. This corresponds to a weight of approx. 33 kg (Sassino), 36 kg (Style, Style Lift and Vivo) and 40 kg (Musica).
- 2) Only in combination with pop-up roof insulating mat for buttoning into the pop-up roof. Not available in combination with hot water heating.
- 3) The skylight in the washroom is omitted with the optional extra of the pop-up roof. The washroom window is standard equipment. In addition, the roof hood and/or roof hood Midi Premium is omitted. Usage of the pop-up roof is not recommended in winter.
- 4) Exterior storage door on 490 K, 582 K remains, however no function since the lower bed must not be set up.  
\*For detailed notes & explanations on weight issues and vehicle configuration, please refer to the General Notes section.

SEE YOU!



**LMC CARAVAN GMBH & CO. KG** Rudolf-Diesel-Straße 4 D-48336 Sassenberg  
T +49 (0) 2583 / 27-0 E [info@lmc-caravan.de](mailto:info@lmc-caravan.de) H [www.lmc-caravan.de](http://www.lmc-caravan.de)  
Münster (Westf.): HRB 9914 USt-IdNr. 126 733 941 General Managers: Timo Ecke, René Ricken, Bodo Diller

QUALITY. TRUST. AT HOME. **LMC**